

Contents

Letters to the Editor

Measurement of shifts in line-of-sight velocities of stellar water masers using VLBI

Imai H., Shibata K.M., Sasao T., Miyoshi M., Kameya O., Omodaka T., Morimoto M., Iwata T., Suzuyama T., Mochizuki N., Miyaji T., Takeuti M.

γ -ray evidence for galactic in-situ electron acceleration

Schlickeiser R.

Robust tilt determination from Laser Guide Stars using a combination of different techniques

Ragazzoni R.

Erratum (Letter): The solar dynamo with meridional circulation

Choudhuri A.R., Schüssler M., Dikpati M.

Erratum (Letter): ON the hot ends of the white dwarf spectral sequences: Hot white dwarfs containing helium from the Hamburg-Schmidt survey

Heber U., Dreizler S., Hagen H.-J.

On the origin of sunspots

Ruzmaikin A.

The effects of high-frequency Alfvén waves on coronal heating and solar wind acceleration

Marsch E., Tu C.-Y.

Observation of DCO⁺ in the Large Magellanic Cloud

Heikkilä A., Johansson L.E.B., Olofsson H.

An eclipse in the X-ray flux from the dwarf nova Z Cha
van Teeseling A.

Cosmology

Faint galaxies around quasars at $z = 1$ and gravitational lensing of distant objects

Fried J.W.

(RN) A possible observational test of the global inhomogeneity

Mészáros A., Vanýsek V.

Reanalysis of the association of high-redshift 1-Jansky quasars with IRAS galaxies

Bartsch A., Schneider P., Bartelmann M.

The anisotropy of the cosmic background radiation due to mass clustering in a closed universe

Daming Chen, Guoxuan Song, Yougen Shen

Extragalactic astronomy

Deep radio observations of the "Lockman Hole"

de Ruiter H.R., Zamorani G., Parma P., Hasinger G., Hartner G., Trümper J., Burg R., Giacconi R., Schmidt M.

L1 X-ray sources < 1 degree from Seyfert galaxies

Radecke H.-D.

L5 Identification of X-ray sources < 1° from Seyfert galaxies

Arp H.

L9 The true shapes of the globular clusters in M 31

Baev P.V., Spassova N., Staneva A.

L9 AGNs with composite spectra

Véron P., Gonçalves A.C., Véron-Cetty M.-P.

H1 HI observations of dwarf galaxies in voids

Huchtmeyer W.K., Hopp U., Kuhn B.

The ultraviolet to X-ray spectrum of the Seyfert 1 galaxy

E 1615+061: accretion disk and reflection models

Piro L., Balucinska-Church M., Fink H., Fiore F., Matsuoka M., Perola G.C., Sofitta P.

L13 The dichotomy of early-type galaxies from their globular cluster systems

Kissler-Patig M.

L17 New infrared Seyfert galaxies

Gu Q.S., Huang J.H., Su H.J., Shang Z.H.

L21 Age and metallicity effects in single stellar populations:

application to M 31 clusters

de Freitas Pacheco J.A.

L25 Constraints on the 3–30 MeV emission of Seyfert galaxies

Maisack M., Mannheim K., Collmar W.

An HI survey of polar ring galaxies. II. The Effelsberg sample

Huchtmeyer W.K.

Radio observations of the quasar 3C395 from parsec to kiloparsec scales

Lara L., Muxlow T.W.B., Alberdi A., Marcaide J.M., Junor W., Saikia D.J.

Broad band energy distribution of ROSAT detected quasars.

I. Radio-loud objects

Brinkmann W., Yuan W., Siebert J.

IC 1689: S0 galaxy with inner polar disk

Hagen-Thorn V.A., Reshetnikov V.P.

401

405

413

430

729

Kinematics of the local universe. IV. Type dependence in the diameter Tully-Fisher relation and implications on the mass-luminosity structure		
<i>Theureau G., Hanski M., Teerikorpi P., Bottinelli L., Ekholt T., Gouguenheim L., Paturel G.</i>	435	98
A high-resolution ^{12}CO (1–0) study of the nucleus of NGC 5907. Observations and modelling		
<i>Garcia-Burillo S., Guélin M., Neininger N.</i>	450	781
X-ray observations of the Magellanic-type Galaxy NGC 4449		
<i>Vogler A., Pietsch W.</i>	459	788
Globular cluster systems of early-type galaxies in Fornax		
<i>Kissler-Patig M., Kohle S., Hilker M., Richtler T., Infante L., Quintana H.</i>	470	796
Red giants in open clusters. VI. Orbits of ten spectroscopic binaries		
<i>Mermilliod J.-C., Andersen J., Mayor M.</i>	481	109
The level of agreement between theoretical and observed globular cluster luminosity functions		
<i>Degl'Innocenti S., Weiss A., Leone L.</i>	487	109
Correlated X-ray spectral and fast-timing behaviour of 4U 1636–53		
<i>Prins S., van der Klis M.</i>	498	811
A double peaked pulse profile observed in GX 1+4		
<i>Paul B., Agrawal P.C., Rao A.R., Manchanda R.K.</i>	507	839
Faint carbon stars from the evolution of close binaries		
<i>Frantsman J.</i>	511	850
The torque and X-ray flux changes of OAO 1657–415		
<i>Baykal A.</i>	515	
Search for old neutron stars in molecular clouds: Cygnus rift and Cygnus OB7		
<i>Belloni T., Zampieri L., Campana S.</i>	525	
Doppler imaging of stellar surface structure. III. The X-ray source HD 116544 = IN Virginis		
<i>Strassmeier K.G.</i>	535	122
Protostellar binary fragmentation: a comparison of results from two distinct second-order hydrodynamic codes		
<i>Di L., Sigalotti G., Klapp J.</i>	547	154
Chemical composition of optically bright post-AGB stars		
<i>van Winckel H.</i>	561	161
Constraints on mass loss from dMe stars: theory and observations		
<i>van den Oord G.H.J., Doyle J.G.</i>	578	166
Shocks and ring in the barred spiral galaxy NGC 1530		
<i>Reynaud D., Downes D.</i>	737	176
Structural classification of galaxies in clusters		
<i>Andreon S., Davoust E.</i>	747	184
Beamed radio and far infrared emission in quasars and radio galaxies		
<i>Hoekstra H., Barthel P.D., Hes R.</i>	757	201
Measurement of mass distribution of galaxy clusters using the giant luminous arc statistics with Le Fèvre et al.'s arc survey data		
<i>Hattori M., Watanabe K., Yamashita K.</i>	764	211
The variation of abundances in planetary nebulae with height above the Galactic plane		
<i>Köppen J., Cuisinier F.</i>		225
Nonlinear galactic dynamo models with magnetic-supported interstellar gas-density stratification		
<i>Rüdiger G., Schultz M.</i>		361
H α detection of a clump of distant HII regions in the Milky Way		
<i>Russeil D.</i>		361
uvby-β photometry of high-velocity and metal-poor stars. IX. Effects of orbital chaos in the Galactic halo		
<i>Schuster W.J., Allen C.</i>		385
Stellar clusters and associations		
Hot HB stars in globular clusters: physical parameters and consequences for theory. III. NGC 6752 and its long blue vertical branch		
<i>Moehler S., Heber U., Rupprecht G.</i>		
High S/N Echelle spectroscopy in young stellar groups. II. Rotational velocities of early-type stars in Sco OB2		
<i>Brown A.G.A., Verschueren W.</i>		409
Rotating globular clusters. III. Evolutionary survey		
<i>Longaretti P.-Y., Lagoute C.</i>		433
High quality seeing V, I, and Gunn z imaging of Terzan 4: a blue horizontal branch bulge globular cluster		
<i>Ortolani S., Barbuy B., Bica E.</i>		457
Formation, structure and evolution of stars		
Coalescing neutron stars – a step towards physical models. II. Neutrino emission, neutron tori, and gamma-ray bursts		
<i>Ruffert M., Janka H.-Th., Takahashi K., Schäfer G.</i>		481
The Blazhko effect on line profiles in the variable star RR Lyrae		
<i>Chadid M., Gillet D.</i>		505
Photometric observations of the nucleus of IC 418		
<i>Kuczawska E., Włodarczyk K., Zola S.</i>		529
Irradiated red giant atmospheres in S-type symbiotic stars		
<i>Schwank M., Schmutz W., Nussbaumer H.</i>		543
Short-term variability of photospheric lines in the pre-main sequence Herbig Ae star AB Aurigae		
<i>Catala C., Böhm T., Donati J.-F., Simon T., Jiang S., Zhao F.</i>		557
A study of the Chamaeleon star-forming region from the ROSAT All-Sky Survey. II. The pre-main sequence population		
<i>Alcalá J.M., Krautter J., Covino E., Neuhauser R., Schmitt J.H.M.M., Wichmann R.</i>		571
X-ray properties of symbiotic stars. II. Systems with colliding winds		
<i>Mürset U., Wolff B., Jordan S.</i>		585
Environments of active close binaries. II. GK Hydrea and TY Pyxidis		
<i>Gunn A.G., Doyle J.G., Houdebine E.R.</i>		609
Accretion disk boundary layers in classical T Tauri stars		
<i>v. Rekowski M., Fröhlich H.-E.</i>		623
<i>Erratum: HD 37151: a new “slowly pulsating B star”</i>		
<i>North P., Paltani S.</i>		637
Archival observations of the ultra-soft X-ray transient 4U 1630–47		
<i>Parmar A.N., Williams O.R., Kuulkers E., Angelini L., White N.E.</i>		651

On the masses and luminosities of double-mode Cepheids Antonello E., Carcano P., Kanbur S.M.	863	<i>Erratum: IRAS sources beyond the solar circle. VI. Analysis of the FIR, H₂O, and CO emission</i>
Search for forced oscillations in binaries. I. The eclipsing and spectroscopic binary V 436 Persei ≡ 1 Persei Harmanec P., Hadrava P., Yang S., Holmgren D., North P., Koubský P., Kubát J., Poretti E.	867	Wouterloot J.G.A., Fiegle K., Brand J., Winnewisser G. 360
Absolute magnitudes and kinematics of barium stars Gómez A.E., Luri X., Grenier S., Prévot L., Mennessier M.O., Figueras F., Torra J.	881	New radio and soft X-ray observations of the supernova remnant G 18.95-1.1 Fürst E., Reich W., Aschenbach B. 655
On the character of the orbital period changes in the interacting binary RW Tauri Šimon V.	886	Magnitude and color distribution of background stars as a probe of small-scale structure in the spatial distribution of interstellar dust Thoraval S., Boissé P., Duvert G. 948
Phase-resolved high-resolution spectrophotometry of the eclipsing polar HU Aquarii Schwope A.D., Mantel K.-H., Horne K.	894	High velocity motions inside the H II region N 103 of the Large Magellanic Cloud Ambroci-Cruz P., Laval A., Marcelin M., Amram P. 973
The contribution of O-Ne-Mg novae to the ²⁶ Al production in the Galaxy Kolb U., Politano M.	909	<i>Erratum: The H₂ structure of OMC-1</i> Schild H., Miller S., Tennyson J. 1037
JCMT observations of Soft Gamma-Ray Repeaters Smith I.A., Schultz A.S.B., Hurley K., van Paradis J., Waters L.B.F.M.	923	
Effect of chromospheric activity on the mean colours of late-type stars Amado P.J., Byrne P.B.	967	
Stellar atmospheres		
A survey of CN in circumstellar envelopes Bachiller R., Fuente A., Bujarrabal V., Colomer F., Loup C., Omont A., de Jong T.	235	The Sun
Infrared observations of peculiar carbon stars Ulla A., Thejll P., Kipper T., Jørgensen U.G.	244	Polarization of the green-line corona on July 11, 1991 solar eclipse Badalyan O.G., Sýkora J. 664
Fractionated stellar wind – the example of σ Orionis E Groote D., Hunger K.	250	The helium singlet-to-triplet line ratio in solar prominences Stellmacher G., Wiehr E. 669
Detection of circumstellar dust shell around the supergiant TV Geminorum from milliarcsecond resolution near-infrared observations Ragland S., Chandrasekhar T., Ashok N.M.	260	Cycle 19 facula dynamics. I. Angular rotation Meunier N., Nesme-Ribes E., Grosso N. 673
The origin of strong magnetic fields in circumstellar SiO masers Hartquist T.W., Dyson J.E.	589	Cycle 19 facula dynamics. II. Meridional circulation, rms velocity, and Reynolds stresses Meunier N., Nesme-Ribes E., Collin B. 683
New beryllium observations in low-metallicity stars Molaro P., Bonifacio P., Castelli F., Pasquini L.	593	Oscillations of the solar radial p-modes Cheng Q.L., Xiong D.R. 981
SiO high velocity maser emission in O-rich evolved stars Cernicharo J., Alcolea J., Baudry A., González-Alfonso E.	607	<i>Erratum: Response functions for the inversion of data from unresolved solar magnetic elements</i> Bellot Rubio L.R., Ruiz Cobo B., Collados M. 1036
Abundance analysis of roAp stars. II. HD 203932 Gelbmann M., Kupka F., Weiss W.W., Mathys G.	630	
The spectrum of β Coronae Borealis in the lithium region Hack M., Polosukhina N.S., Malanushenko V.P., Castelli F.	637	The solar system
Dust formation in winds of long-period variables. IV. Atmospheric dynamics and mass loss Höfner S., Dorfi E.A.	648	The radiation belts of Jupiter at 13 and 22 cm. I. Observations and 3-D reconstruction Leblanc Y., Dulk G.A., Sault R.J., Hunstead R.W. 274
Elemental abundances in normal late-B and HgMn stars from co-added IUE spectra. V. Mercury Smith K.C.	928	The radiation belts of Jupiter at 13 and 22 cm. II. The asymmetries and the magnetic field Dulk G.A., Leblanc Y., Sault R.J., Ladreiter H.P., Connerney J.E.P. 282
Diffuse matter in space (including H II regions and planetary nebulae)		
M 2-9: moving dust in a fast bipolar outflow Schwarz H.E., Aspin C., Corradi R.L.M., Reipurth B.	267	H ₂ O ⁺ , CO ⁺ , and dust in Comet P/Swift-Tuttle Jockers K., Bonev T. 617
Celestial mechanics and astrometry		
Resonance and chaos. I. First-order interior resonances Winter O.C., Murray C.D.	290	
Theory of the rotation of the rigid Earth Bretagnon P., Rocher P., Simon J.L.	305	

Using the Earth orientation parameters to link the Hipparcos and VLBI reference frames <i>Vondrák J., Ron C., Pešek I.</i>	1020	Membership and structural parameters of the globular cluster M 5 from Schmidt plates <i>Kharchenko N., Scholz R.-D., Lehmann I.</i>	725
Physical and chemical processes		VI photometry of the galactic cluster Berkeley 66 <i>Guarnieri M.D., Carraro G.</i>	725
The PAH hypothesis: a computational experiment on the combined effects of ionization and dehydrogenation on the IR signatures <i>Pauzat F., Talbi D., Ellinger Y.</i>	318	CCD photometry of distant open clusters. III. Berkeley 18 <i>Kaluzny J.</i>	726
Laser induced fluorescence spectroscopy of jet-cooled molecular species: a tool to identify diffuse interstellar band carriers <i>Moutou C., Verstraete L., Bréchignac P., Piccirillo S., Léger A.</i>		Ultraviolet variability of the Seyfert 1 galaxy Fairall 9 <i>Recondo-González M.C., Wamsteker W., Clavel J., Rodríguez-Pascual P.M., Vio R., Wang Ting-gui, Santos-Lleo M., Makino F.</i>	726
Magnetically-driven jets from Keplerian accretion discs <i>Ferreira J.</i>		Physical studies of asteroids. XXXI. Asteroid photometric observations with the Carlsberg Automatic Meridian Circle <i>Püironen J., Magnusson P., Lagerkvist C.-I., Williams I.P., Buontempo M.E., Morrison L.V.</i>	726
Current sheets in two-dimensional potential magnetic fields. III. Formation in complex topology configurations and application to coronal heating <i>Aly J.J., Amari T.</i>	699	CCD photometry of the globular cluster Palomar 13 <i>Borissova J., Markov H., Spassova N.</i>	727
Infrared transitions probabilities and radiative opacity of SiO <i>Drira I., Huré J.M., Spielfiedel A., Feautrier N., Roueff E.</i>		Near infrared surface photometry of late-type Virgo cluster galaxies <i>Boselli A., Tuffs R.J., Gavazzi G., Hippelein H., Pierini D.</i>	727
Collimated jet magnetospheres around rotating black holes. General relativistic force-free 2D equilibrium <i>Fendt C.</i>	1025	Correction of the "piston effect" in optical astronomical interferometry. I. Modulus and phase gradient of the visibility function restoration <i>Perrin G.</i>	727
Abstracts of articles which have been published in A&A Supplement Series 121, No. 3		The effective layer height for star wandering and the accuracy of tilt sensing in multicolour laser stars <i>Ragazzoni R., Marchetti E., Brusa G.</i>	727
Micrometer measurements of southern double stars made at the Observatory of Llano del Hato at Merida (Venezuela) <i>Prieto C.</i>	725	Interactive Deconvolution with Error Analysis (IDEA) in astronomical imaging: Application to aberrated HST images on SN 1987A, M 87 and 3C 66B <i>Bouyoucef K., Fraix-Burnet D., Roques S.</i>	727
Accurate positions and finding charts of known planetary nebulae in the Large Magellanic Cloud <i>Leisy P., Dennefeld M., Alard C., Guibert J.</i>	725	Efficient implementations of the SOLA mollifier method <i>Larsen R.M., Hansen P.C.</i>	727

